



J-500™

LUXURY COLLECTION



J-585™



J-575™

SEATING CAPACITY	6-7 seats	5-6 seats
DIMENSIONS	91 in x 91 in x 37.5 in - 42 in side 231 cm x 231 cm x 95 cm -107 cm side	91 in x 91 in x 37.5 in - 42 in side 231 cm x 231 cm x 95 cm -107 cm side
DRY WEIGHT	897 lbs. (407 kg.)	898 lbs. (407 kg.)
TOTAL FILLED WEIGHT	5,403 lbs. (2,451 kg.)	5,446 lbs. (2,470 kg.)
AVERAGE SPA VOLUME	440 gallons (1,666 liters)	445 gallons (1,685 liters)
PUMP 1 NORTH AMERICA	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 1 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 2 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
CIRCULATION PUMP	Yes	Yes
TOTAL POWERPRO® JETS	46	49
POWERPRO® FX SMALL	8	-
POWERPRO® PX	2	8
POWERPRO® FX	8	6
POWERPRO® FX ROTATIONAL	10	14
POWERPRO® NX2	-	2
POWERPRO® FX LARGE ROTATIONAL	5	6
POWERPRO® MX	3	5
POWERPRO® RX	8	6
POWERPRO® FX DIRECTIONAL	2	2
MASSAGE SELECTORS	2	2
LOUNGE SEATING	-	Yes
FILTERS	ProClarity® filtration system w/ grill, skimming weir and ProCatch™ bag + ProClear® pleated filter, 1- ProClarity® depth load filter, 1- ProClarity® 40 Sq ft filter, 1- ProCatch® bag with ProClear® 60 Sq ft filter	ProClarity® filtration system w/ grill, skimming weir and ProCatch™ bag + ProClear® pleated filter, 1- ProClarity® depth load filter, 1- ProClarity® 40 Sq ft filter, 1- ProCatch® bag with ProClear® 60 Sq ft filter
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	Exterior corners lights, ProEdge™ interior lighting, two waterfall lights, one footwell light	Exterior corners lights, ProEdge™ interior lighting, two waterfall lights, one footwell light
PILLOWS	4	4
WATERFALLS	2	2
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A/60A	240VAC 60 Hz 40A/50A/60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz @2x16A	230-240VAC 50Hz @2x16A
CURVALUX™ CABINETRY	Silverwood, Roasted Chestnut	Silverwood, Roasted Chestnut
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Desert Sand, Sandstone, Monaco, Midnight, Porcelain, Sahara	Platinum, Opal, Silver Pearl, Desert Sand, Sandstone, Monaco, Midnight, Porcelain, Sahara
SMARTTUB™ SYSTEM	Standard	Standard
PROLAST™ COVER	Yes	Yes
OPTIONAL FEATURES	Integrated BLUEWAVE® spa stereo CLEARARRAY® PRO ₃ TECT™ automatic oxidizer ProLast™ Extreme cover Premium speakers Amplified sub-woofer	Integrated BLUEWAVE® spa stereo CLEARARRAY® PRO ₃ TECT™ automatic oxidizer ProLast™ Extreme cover Premium speakers Amplified sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-400™

DESIGNER COLLECTION



J-495™



J-485™

SEATING CAPACITY	8-9 seats	6-7 seats
DIMENSIONS	91 in x 110 in x 37.5 in - 43.5 in back 231 cm x 279 cm x 95 cm - 110.5 cm back	91 in x 91 in x 37.5 in - 43.5 in back 231 cm x 231 cm x 95 cm - 110.5 cm back
DRY WEIGHT	1,091 lbs. (495 kg.)	916 lbs. (415 kg.)
TOTAL FILLED WEIGHT	6,679 lbs. (3,030 kg.)	5,336 lbs. (2,421 kg.)
AVERAGE SPA VOLUME	500 gallons (1,893 liters)	435 gallons (1,647 liters)
PUMP 1 NORTH AMERICA PUMP 1 INTERNATIONAL	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA PUMP 2 INTERNATIONAL	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 3 NORTH AMERICA PUMP 3 INTERNATIONAL	1 speed, 2.5 cont hp (5.1 bhp*) 1 speed, 2.0 cont hp (2.6 bhp*)	- -
CIRCULATION PUMP	Yes	Yes
TOTAL JETS	71	49
POWERPRO® MX	3	3
POWERPRO® FX SMALL	14	8
POWERPRO® RX	15	8
POWERPRO® FX DIRECTIONAL	4	-
POWERPRO® NX2	8	6
POWERPRO® FX ROTATIONAL	4	6
POWERPRO® FX	16	12
POWERPRO® FX LARGE ROTATIONAL	3	1
POWERPRO® PX	-	2
POWERPRO® FX LARGE	-	3
MESSAGE SELECTORS	2	2
LOUNGE SEATING	-	-
FILTERS	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch® bag with ProClear® 60 Sq ft filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft filter (circ) 1- ProCatch® bag with ProClear® 60 Sq ft filter (hydro)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	Waterfall light, message selectors, cupholders, underwater, indicator light, and optional exterior lights	Waterfall light, message selectors, cupholders, underwater, indicator light, and optional exterior lights
PILLOWS	4	4
WATERFALLS	2	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 30A/50A/60A
ELECTRICAL INTERNATIONAL	230VAC 50Hz 1x32A	230 VAC 50Hz 20A (2breakers required)
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Silver Pearl, Sahara , Desert Sand, Monaco Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ system CLEARARRAY® PRO ₃ TECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer	SmartTub™ system CLEARARRAY® PRO ₃ TECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-400™

DESIGNER COLLECTION



J-475™



J-445™

SEATING CAPACITY	6-7 seats	6 seats
DIMENSIONS	91 in x 91 in x 37.5 in - 43.5 in back 231 cm x 231 cm x 95 cm - 110 cm back	84 in x 84 in x 37.5 in - 43.5 in back 213.5 cm x 213.5 cm x 95 cm - 110.5 cm back
DRY WEIGHT	925 lbs. (419 kg.)	855 lbs. (388 kg.)
TOTAL FILLED WEIGHT	5,387 lbs. (2,444 kg.)	4,525 lbs. (2,052 kg.)
AVERAGE SPA VOLUME	440 gallons (1,666 liters)	440 gallons (1,666 liters)
PUMP 1 NORTH AMERICA	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 1 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 cont hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 2 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
CIRCULATION PUMP	Yes	Yes
TOTAL JETS	55	45
POWERPRO® MX	3	3
POWERPRO® FX SMALL	8	8
POWERPRO® RX	6	8
POWERPRO® FX DIRECTIONAL	-	-
POWERPRO® NX2	6	4
POWERPRO® FX ROTATIONAL	8	8
POWERPRO® FX	10	12
POWERPRO® FX LARGE ROTATIONAL	1	2
POWERPRO® PX	2	-
POWERPRO® FX LARGE	5	-
MESSAGE SELECTORS	2	2
LOUNGE SEATING	Yes	-
FILTER	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft. filter (circ) 1- ProClear® 60 sq ft. filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag + ProClear® pleated filter 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft. filter (circ) 1- ProClear® 60 sq ft. filter (hydro)
WATER MANAGEMENT SYSTEM	CLEARRAY® water management system	CLEARRAY® water management system
LIGHTING	Waterfall light, message selectors, cupholders, underwater, indicator light, and optional exterior lights	One waterfall with light, one underwater light, cupholders, message selector lights, indicator light, and optional exterior lights
PILLOWS	4	4
WATERFALLS	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 30A/50A/60A	240VAC @ 30A/50A/60A
ELECTRICAL INTERNATIONAL	230 VAC 50Hz 20A (2breakers required)	230-240VAC 50Hz 32A, 20A/I6A, I6A/I6A/I6A
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ system CLEARRAY® PROTECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer	SmartTub™ system CLEARRAY® PROTECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-400™

DESIGNER COLLECTION



J-435™



J-425™

SEATING CAPACITY	5-6 seats	4-5 seats
DIMENSIONS	84 in x 84 in x 37.5 in - 43.5 in back 213.5 cm x 213.5 cm x 95 cm - 110 cm back	76 in x 87 in x 34 in - 40 in back 193 cm x 221 cm x 86 cm - 101.6 cm
DRY WEIGHT	822 lbs (373 kg)	776 lbs. (352 kg)
TOTAL FILLED WEIGHT	4,492 lbs (2,037 kg)	4,279 lbs. (1,941 kg)
AVERAGE SPA VOLUME	360 US gal (1,363 liters)	320 gallons (1,211 liters)
PUMP 1 NORTH AMERICA	1 speed, 2.5 continuous hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 1 INTERNATIONAL	1 speed, 2.0 continuous hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 continuous hp (5.1 bhp*)	1 speed, 2.5 cont hp (5.1 bhp*)
PUMP 2 INTERNATIONAL	1 speed, 2.0 continuous hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
CIRCULATION PUMP	Yes	Yes
TOTAL JETS	47	35
POWERPRO® MX	3	3
POWERPRO® FX SMALL	10	-
POWERPRO® RX	8	4
POWERPRO® FX DIRECTIONAL	-	-
POWERPRO® NX2	6	2
POWERPRO® FX ROTATIONAL	6	4
POWERPRO® FX	9	15
POWERPRO® FX LARGE ROTATIONAL	3	2
POWERPRO® PX	2	4
POWERPRO® FX LARGE	-	1
MASSAGE SELECTORS	2	1
LOUNGE SEATING	1	-
FILTERS	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag + ProClear® pleated filter 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 Sq ft filter (circ) 1- ProClear® 60 Sq ft filter (hydro)	ProClarity® filtration system with grill, skimming weir and ProCatch™ bag 1- ProClarity® depth load filter (circ) 1- ProClarity® 40 sq ft. filter (circ) 1- ProClear® 60 sq ft. filter (hydro)
WATER MANAGEMENT SYSTEM	CLEARRAY® water management system	CLEARRAY® water management system
LIGHTING	One waterfall with light, one underwater light, cupholder, massage selector lights, indicator light, and optional exterior lights	One waterfall with light, pillows, indicator light, and optional exterior lights
PILLOWS	3	4
WATERFALLS	1	1
ELECTRICAL NORTH AMERICA	240VAC @ 40A/50A/60A	240VAC 60Hz 40A/50A/60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 32A, 20A/16A, 16A/16A/16A	230VAC 50Hz 17A/13A
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ system CLEARRAY® PROTECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer	SmartTub™ system CLEARRAY® PROTECT™ low output ozone generator SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers Integrated BLUEWAVE® spa stereo Premium speakers Amplified sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-LX[®]

ENERGY-EFFICIENT COLLECTION

J-LX[®]



J-LXL[®]



SEATING CAPACITY	6-7 seats	5-6 seats
DIMENSIONS	84 in x 84 in x 36 in 214 cm x 214 cm x 92 cm	84 in x 84 in x 36 in 214 cm x 214 cm x 92 cm
DRY WEIGHT	876 lbs. (397 kg.)	896 lbs. (406 kg.)
TOTAL FILLED WEIGHT	5,046 lbs. (2,289 kg.)	5,066 lbs. (2,298 kg.)
AVERAGE SPA VOLUME	390 gallons (1,476 liters)	390 gallons (1,476 liters)
PUMP 1 NORTH AMERICA	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)
PUMP 1 INTERNATIONAL	2 speed, 2.0 cont hp (3.0 bhp*)	2 speed, 2.0 cont hp (3.0 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
PUMP 2 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
CIRCULATION PUMP	Yes	Yes
TOTAL POWERPRO [®] JETS	36	38
POWERPRO [®] MX2	2	2
POWERPRO [®] FX	21	23
POWERPRO [®] RX	4	4
POWERPRO [®] NX2	4	6
POWERPRO [®] FX LARGE ROTATIONAL	5	3
MESSAGE SELECTORS	1	1
LOUNGE SEATING	-	Yes
FILTERS	ProClear [®] filtration system with skimming weir and ProCatch [™] bag 2- ProClear [®] 60 sq ft (circ)	ProClear [®] filtration system with skimming weir and ProCatch [™] bag 2- ProClear [®] 60 sq ft (circ)
WATER MANAGEMENT SYSTEM	CLEARARRAY [®] water management system	CLEARARRAY [®] water management system
LIGHTING	One underwater light with 4 color modes, one colored waterfall light, eight dome lights	One underwater light with 4 color modes, one colored waterfall light, eight dome lights
PILLOWS	4	3
WATERFALLS	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
ELECTRICAL INTERNATIONAL	230-240VAC 50Hz 20A/30A/40A	230-240VAC 50Hz 20A/30A/40A
PROENDURE [™] CABINETRY	Roasted Chestnut, Brazilian Teak	Roasted Chestnut, Brazilian Teak
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	ProLast [™] or ProLast [™] Extreme hot tub covers Integrated BLUEWAVE [®] spa stereo Advanced, factory-installed insulation Upgrade to 5-Stage filtration Standard speakers	ProLast [™] or ProLast [™] Extreme hot tub covers Integrated BLUEWAVE [®] spa stereo Advanced, factory-installed insulation Upgrade to 5-Stage filtration Standard speakers

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-300™

COMFORT COLLECTION



J-385™



J-375™



J-365™



J-355™

SEATING CAPACITY	6-7 seats	5-6 seats	6-7 seats	5-6 seats
DIMENSIONS	91 in x 91 in x 38 in 231 cm x 231 cm x 97 cm	91 in x 91 in x 38 in 231 cm x 231 cm x 97 cm	84 in x 91 in x 38 in 214 cm x 231 cm x 97 cm	84 in x 91 in x 38 in 214 cm x 231 cm x 97 cm
DRY WEIGHT	850 lbs. (386 kg.)	830 lbs. (376 kg.)	805 lbs. (365 kg.)	813 lbs. (369 kg.)
TOTAL FILLED WEIGHT	5,771 lbs. (2,618 kg.)	5,667 lbs. (2,571 kg.)	4,975 lbs. (2,257 kg.)	4,900 lbs. (1,855 kg.)
AVERAGE SPA VOLUME	460 gallons (1,741 liters)	445 gallons (1,685 liters)	395 gallons (1,495 liters)	360 gallons (1,363 liters)
PUMP 1 NORTH AMERICA	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.5 bhp*)	1 speed, 2.5 cont hp (4.5 bhp*)	1 speed, 2.5 cont hp (4.5 bhp*)
PUMP 1 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
PUMP 2 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
CIRCULATION PUMP	Yes	Yes	Yes	Yes
TOTAL JETS	51	52	46	44
POWERPRO®MX	3	5	3	5
POWERPRO®FX LARGE ROTATIONAL	4	3	3	3
POWERPRO®FX DIRECTIONAL	2	2	2	2
POWERPRO®FX LARGE	4	2	3	2
POWERPRO®FX ROTATIONAL	4	6	4	4
POWERPRO®FX	20	18	19	14
POWERPRO®BX	2	12	-	12
POWERPRO®NX2	4	4	4	2
POWERPRO®FX SMALL	8	-	8	-
MESSAGE SELECTORS	2	2	2	2
LOUNGE SEATING	-	Yes	-	Yes
FILTERS	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights
PILLOWS	4	4	4	3
WATERFALLS	1	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A
ELECTRICAL INTERNATIONAL	230VAC 50Hz 17A/13A	230VAC 50Hz 17A/13A	230VAC 50Hz 17A/13A	230VAC 50Hz 17A/13A
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ System compatible CLEARARRAY® PROTECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PROTECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PROTECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PROTECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-300™

COMFORT COLLECTION



J-345™



J-335™



J-325™



J-315™

SEATING CAPACITY	6-7 seats	5-6 seats	4-5 seats	2-3 seats
DIMENSIONS	84 in x 84 in x 36 in 214 cm x 214 cm x 92 cm	84 in x 84 in x 36 in 214 cm x 214 cm x 92 cm	84 in x 76 in x 34 in 214 cm x 193 cm x 87 cm	66 in x 76 in x 32 in 168 cm x 193 cm x 81 cm
DRY WEIGHT	777 lbs. (352 kg.)	764 lbs. (347 kg.)	619 lbs. (281 kg.)	531 lbs. (241 kg.)
TOTAL FILLED WEIGHT	4,488 lbs. (2,036 kg.)	4,684 lbs. (2,125 kg.)	4,372 lbs. (1,983 kg.)	2,866 lbs. (1,300 kg.)
AVERAGE SPA VOLUME	345 gallons (1,306 liters)	350 gallons (1,325 liters)	335 gallons (1,268 liters)	210 gallons (795 liters)
PUMP 1 NORTH AMERICA	1 speed, 2.5 cont hp (4.5 bhp*)	1 speed, 2.5 cont hp (4.5 bhp*)	1 speed, 1.5 cont hp (2.5 bhp*)	1 speed, 1.5 cont hp (2.5 bhp*)
PUMP 1 INTERNATIONAL	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	-	-
PUMP 2 INTERNATIONAL	1 speed, 2.0 cont hp (2.6 bhp*)	1 speed, 2.0 cont hp (2.6 bhp*)	-	-
CIRCULATION PUMP	Yes	Yes	Yes	Yes
TOTAL JETS	41	42	23	23
POWERPRO®MX	3	2	-	-
POWERPRO®FX LARGE ROTATIONAL	3	4	5	3
POWERPRO®FX DIRECTIONAL	2	2	2	2
POWERPRO®FX LARGE	2	2	4	2
POWERPRO®FX ROTATIONAL	4	4	2	2
POWERPRO®FX	19	16	6	8
POWERPRO®BX	-	12	-	6
POWERPRO®FX SMALL	8	-	4	-
MASSAGE SELECTORS	2	2	1	1
LOUNGE SEATING	-	Yes	-	-
FILTERS	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)	ProClear® filtration system with skimming weir and ProCatch™ bag 1- ProClear® 60 sq ft filter (hydro) 1- ProClear® 60 sq ft filter (circ)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights	One underwater prolite with 4 color modes, one colored waterfall light, cup holders, 2 HYDROSOOTHE pillow lights, and exterior lights
PILLOWS	4	4	4	3
WATERFALLS	1	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	120VAC 15A or 240VAC 60Hz 30/40A	120VAC 60Hz 15A or 240VAC 60Hz 30A/40A
ELECTRICAL INTERNATIONAL	230VAC 50Hz 17A/13A	230VAC 50Hz 17A/13A	230VAC 50Hz 10A/13A	230VAC 50Hz 10A/13A
PROFINISH™ CABINETRY	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony	Modern Hardwood, Brushed Gray, Smoked Ebony
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ System compatible CLEARARRAY® PRO,TECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PRO,TECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PRO,TECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer	SmartTub™ System compatible CLEARARRAY® PRO,TECT™ low output ozone generator ProClarity® circulation pump filter SmartSeal® insulation Exterior lights ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Upgrade to 5-Stage filtration Standard speakers Sub-woofer

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-200™

CLASSIC COLLECTION



J-280™



J-275™



J-245™



J-235™

SEATING CAPACITY	6-7 seats	6 seats	6-7 seats	6 seats
DIMENSIONS	90 in x 90 in x 37 in 229 cm x 229 cm x 93 cm	90 in x 90 in x 37 in 229 cm x 229 cm x 93 cm	84 in x 84 in x 36 in 214 cm x 214 cm x 92 cm	84 in x 84 in x 36 in 214 cm x 214 cm x 92 cm
DRY WEIGHT	885 lbs. (401 kg.)	807 lbs. (366 kg.)	827 lbs. (375 kg.)	718 lbs. (326 kg.)
TOTAL FILLED WEIGHT	5,639 lbs. (2,558 kg.)	5,227 lbs. (2,371 kg.)	4,747 lbs. (2,153 kg.)	4,554 lbs. (2,066 kg.)
AVERAGE SPA VOLUME	460 gallons (1,741 liters)	420 gallons (1,590 liters)	360 gallons (1,363 liters)	360 gallons (1,363 liters)
PUMP 1 NORTH AMERICA	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)	2 speed, 2.5 cont hp (4.5 bhp*)
PUMP 1 INTERNATIONAL	2 speed, 2.0 cont hp (2.6 bhp*)	2 speed, 2.0 cont hp (2.6 bhp*)	2 speed, 2.0 cont hp (2.6 bhp*)	2 speed, 2.0 cont hp (2.6 bhp*)
PUMP 2 NORTH AMERICA	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)	1 speed, 2.5 cont hp (4.8 bhp*)
PUMP 2 INTERNATIONAL	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)	1 speed, 2.0 cont hp (3.0 bhp*)
TOTAL JETS	44	45	35	35
CLASSICPRO™ ACCUPRESSURE	20	14	20	14
CLASSICPRO™ PULSATING	4	14	2	6
CLASSICPRO™ MINI DUO ROTATOR	6	3	2	-
CLASSICPRO™ DIRECTIONAL	5	8	2	5
CLASSICPRO™ TURBO	1	-	-	-
CLASSICPRO™ POWER MULTIPORT	-	2	1	3
CLASSICPRO™ DUO ROTATOR	8	4	2	3
CLASSICPRO™ POWER ROTATOR	-	-	4	2
CLASSICPRO™ POWER ROTOPULSE	-	-	2	2
MASSAGE SELECTORS	1	-	-	-
AIR CONTROLS	4	3	3	3
LOUNGE SEATING	-	Yes	-	Yes
FILTERS	Classic filtration 1- 95 sq ft filter (hydro)	Classic filtration 1- 50 sq ft filter (hydro)	Classic filtration 1- 50 sq ft filter (hydro)	Classic filtration 1- 50 sq ft filter (hydro)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	Classic lighting package of 22 perimeter LED lights, 3 waterfall lights and footwell multi-color LED light	Classic lighting package of 10 LED lights	Classic lighting package of 10 LED lights	Classic lighting package of 10 LED lights
PILLOWS	4	3	4	3
WATERFALLS	1	1	1	1
ELECTRICAL NORTH AMERICA	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40A/50A/60A	240VAC 60Hz 40/50/60A
ELECTRICAL INTERNATIONAL	230VAC 50Hz 20A/30A/40A	230VAC 50Hz 20A/30A/40A	230VAC 50Hz 20A/30A/40A	230VAC 50Hz 20/30/40A
PROENDURE™ CABINETRY	Silverwood, Roasted Chestnut, Brazilian Teak	Silverwood, Roasted Chestnut, Brazilian Teak	Silverwood, Roasted Chestnut, Brazilian Teak	Silverwood, Roasted Chestnut, Brazilian Teak
ACRYLIC COLOR SHELLS	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain	Platinum, Opal, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain
OPTIONAL FEATURES	SmartTub™ System compatible ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Standard speakers	SmartTub™ System compatible ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Standard speakers	SmartTub™ System compatible ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Standard speakers	SmartTub™ System compatible ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Standard speakers

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.



J-200™

CLASSIC COLLECTION



J-225™



J-215™



J-210™

SEATING CAPACITY	4-5 seats	2-3 seats	4 seats
DIMENSIONS	84 in x 76 in x 34.5 in 213 cm x 193 cm x 87 cm	66 in x 76 in x 32 in 168 cm x 193 cm x 81 cm	78 in round x 36 in deep 198 cm round x 91 cm deep
DRY WEIGHT	562 lbs. (255 kg.)	492 lbs. (223 kg.)	527 lbs. (239 kg.)
TOTAL FILLED WEIGHT	4,219 lbs. (1,914 kg.)	2,780 lbs. (1,261 kg.)	3,112 lbs. (1,412 kg.)
AVERAGE SPA VOLUME	354 gallons (1,340 liters)	220 gallons (833 liters)	240 gallons (908 liters)
PUMP 1 NORTH AMERICA	1 x 2 speed, 1.5 cont hp	1 x 2 speed, 1.5 cont hp	2 speed, 1.5 cont hp (2.5 bhp*)
PUMP 1 INTERNATIONAL	1 x 2 speed, 2.0 cont hp		2 speed, 2.0 cont hp (3.0 bhp*)
PUMP 2 NORTH AMERICA	-	-	-
PUMP 2 INTERNATIONAL	-	-	-
TOTAL JETS	23	19	19
CLASSIC WHIRL	-	-	-
CLASSIC LUXURY	2	2	4
CLASSIC TURBO	-	-	-
CLASSIC DIRECT	4	4	4
CLASSIC ROTATIONAL	4	-	-
CLASSIC EURO	4	-	-
CLASSIC PULSATOR	-	4	-
CLASSIC MINI	9	9	10
DIVERTER	-	-	1
MESSAGE SELECTORS	-	-	-
AIR CONTROLS	4	3	3
LOUNGE SEATING	-	-	-
FILTERS	Classic filtration 1- 50 sq ft filter (hydro)	Classic filtration 1- 50 sq ft filter (hydro)	Classic filtration 1- 50 sq ft filter (hydro)
WATER MANAGEMENT SYSTEM	CLEARARRAY® water management system	CLEARARRAY® water management system	CLEARARRAY® water management system
LIGHTING	6 LED bullet lights (4 above water; 2 underwater)	6 LED bullet lights (4 above water; 2 underwater)	Underwater multi-color LED lights
PILLOWS	3	1	-
WATERFALLS	1	-	-
ELECTRICAL NORTH AMERICA	120 VAC 60Hz 15A 240 VAC 60Hz 30A/40A	120 VAC @15A 240 VAC @ 30A/40A	120 VAC 60Hz 15A 240 VAC 60Hz 30A/40A
ELECTRICAL INTERNATIONAL	230 VAC 50Hz 20A/30A	230 VAC 50Hz 20A/30A	230 VAC 50Hz 20A/30A
PROENDURE™ CABINETRY	Silverwood, Roasted Chestnut, Brazilian Teak	Silverwood, Roasted Chestnut, Brazilian Teak	Silverwood, Roasted Chestnut, Brazilian Teak
ACRYLIC COLOR SHELLS	Platinum, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain, Opal	Platinum, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain, Opal	Platinum, Silver Pearl, Sahara, Sandstone, Desert Sand, Monaco, Caribbean Surf, Midnight, Porcelain, Opal
OPTIONAL FEATURES	SmartTub™ System compatible ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Standard speakers	SmartTub™ System compatible ProLast™ or ProLast™ Extreme hot tub covers BLUEWAVE® spa stereo Standard speakers	SmartTub™ System compatible ProLast™ or ProLast™ Extreme hot tub covers

*Pump input or brake horsepower (bhp) is the actual horsepower delivered to the pump shaft. Source: ITT Goulds Pumps, Centrifugal Pump Fundamentals
NOTE: All dimensions are approximate. Spa Volume is based on average fill. Specifications are subject to change without notice.