



In a world obsessed with doing more, we invite you to




Now more than ever, we need to take care of ourselves and NOT DO anything from time to time.

It transforms how we feel and how we feel about our world.

Not doing never felt so good.

Innovation born out of love


When Ken Jacuzzi, age 2, was diagnosed with rheumatoid arthritis, his father invented the world's first portable pump to provide pain-relieving hydromassage. From that moment forward, Jacuzzi has introduced the power of hot, bubbly water into millions of homes around the world.




Built with the same care today

Through decades of research and development,
Jacuzzi has brought breakthrough products that engage
the senses, nurture the body, and restore the mind like
no other. Now comes the latest wave of innovations—
Jacuzzi® SmartTub®, Red Light and Infrared.

All designed to restore balance and heighten the pleasurable sensations and benefits of hydromassage. Jacuzzi® Brand products are enjoyed in more than 100 countries worldwide, and are manufactured by thousands of employees in five countries.










Designed to fit you

By studying human dimensions, we design hot tubs based on the average proportions of 90% of the population, ensuring your hot tub conforms to you. Our seats are sculpted with an ergonomic focus to cradle the contours of the body. Specialized Jacuzzi® PowerPro® Jets – recessed for your complete comfort – are thoughtfully positioned to effectively target key muscles.













RX



FX



6

PX



You do you

We realize everyone likes their massage a little different. A Jacuzzi® hot tub lets you pinpoint the intensity and placement of every touchpoint for a truly personalized massage. Strategically placed jets target specific muscle groups, while a customizable flow and feel at each jet puts complete control at your fingertips. Individual seat air control lets you dial the air and water power up or down, delivering the right massage pressure for your needs.

Revel among the jet set

Different muscle groups demand different types of massage action. Versatile Jacuzzi® PowerPro® Jets deliver a range of massages, from robust and stimulating to gentle and rejuvenating, for targeted relief anywhere you need it.

ΜX

The original performance therapy jet that started it all Completely adjustable nozzle with a 60-degree range to focus exactly where you need it

Produces bold high volume massage action as part of the MX therapy seat

RX

A powerful steady pulse against large portions of your back

Focused on middle and upper back muscle tension relief

Full coverage massage as part of the RX therapy seat

FX

Exclusive spiral design focused on smaller muscle groups

Stimulating pressure points in the shoulders, back and feet Spiral flow drives energetic

impact in the FX therapy seat

NX2

Highly focused stream of water targeting the neck

Massages tension and strain in the sensitive neck area
Personalize the direction and the intensity of the

massage by moving the nozzle
ne
PX

Provides relief to pressure points on the hands

Gentle pulsing on palms and wrists

Can help soothe the discomforts in your hands and wrists

BX

Highest air to water ratio in our collection

Key feature of the ProAir™ lounge seat

Patented design developed for reinvigorating leg muscles



Please, be seated

Decades of expertise drive the Jacuzzi® hot tub design process to deliver personalized comfort. The collection of seats in every Jacuzzi® hot tub facilitates full-body hydromassage while balancing the flow to each seat for the best experience.

Seats are complemented by jets on the calves and in the foot dome to lift the weight of the day. Smooth surfaces and soft sculpting make it easy to move freely to enjoy all of the seats. Every Jacuzzi® hot tub is expertly engineered to nurture your well-being to the core.



FX Therapy Seat

Full Coverage Neck,
Shoulder and Back Relief
A collection of 10 to 12 FX Jets
deliver a stimulating, spiralaction deep tissue massage
to relieve aches from the neck
and shoulders through the
full back. Adjustable pressure
for a personalized massage.
On J-300™ models, this
therapy seat also features the
HydroSoothe® neck-massaging
pillow.

RX Therapy Seat

Comforting Back and Shoulder Relief

A ring of spinning RX Jets targets key back and shoulder muscles, drawing on the highest performance hydromassage from the Jacuzzi® Brand to soothe stiff muscles and release tension. Neck jets complement the massage for extra relief.

MX Therapy Seat

The Original in Low-Back Relief Ease into this deeply contoured

Ease into this deeply contoured seat to release tension in the lower back with a high-volume, low-pressure massage. Maximized air output delivers a soothing deep tissue massage. Paired with neck jets for a fully relaxing experience.

ProAir[™] Lounge

Full-Body Relief

Designed to distribute body weight evenly for a comprehensive massage. The ProAir™ Lounge eases tension in shoulders and back by combining FX and FX-R rotational jets along the center of the back. Exclusive BX Jets target the calves with an invigorating, bubbly massage and FX Jets penetrate the muscles of the feet with therapeutic relief.

Foot Dome LEFT

Overall Tension Relief

FX jets positioned to offer a targeted reflexology massage that increases energy, boosts circulation and stimulates nerve function. Not only does this deep tissue massage induce a deep state of relaxation throughout the body, it also keeps you in the perfect position.





Clean* water, less energy

We've combined ozone and UV-C technology to provide a hands-free approach to water care.

CLEARRAY Active Oxygen® System works harder to clean* the water longer. Ozonated water is exposed to a UV-C bulb to energize the molecules, unlocking Active Oxygen to clean.*

UV-C technology is standard on all models

Sit back while the water goes to work.

5-Stage** filtration process Cleaner* water means fewer water changes and less effort for you.

Stages 1 and 2

The skimmer and unique mesh ProCatch filter work together to clean the water surface and trap large debris for easy removal.

Stage 3

This exclusive system features a 60 sq ft ProClarity® filter connected directly to a ProStream filtration pump that filters an incredible 35 gallons per minute, giving you clean water faster.

Stage 4

The ProClarity® depth load filter polishes the water down to a 3 micron level.

Stage 5

The 2nd 60 sq ft ProClarity® filter cleans and activates when you are using the hot tub. This doubles the filtration when you need it most.

^{*}Clean is defined as the removal of microscopic (down to 3 micron level, varies by model) debris from the water.

The CLEARRAY® Active Oxygen® System utilizes various technologies to achieve cleanliness. One of them is ozone, which aids in the grouping of smaller debris to form larger clusters that can be more easily captured in the filtration process.

Full control from anywhere

Our patented, industry-first SmartTub® system provides remote monitoring and control through phones, smart devices, and Siri® and Alexa® wearables anywhere in the world.* All with software updates and a cellular connection that's simpler and more reliable than Wi-Fi. Enjoyment made easy.









Smart Reminders



Energy Reporting



Energy Savings

The serenity is in the details

We design spas that perform for years with minimal care. Durable, reliable and designed with you in mind, from the materials chosen to the performance you expect.

ProFusion™ Shell

Highest quality acrylic, a bonded vapor barrier and a resin composite are layered together for ultimate durability, creating an inseparable bond that stands up to heat and cold.

ProFinish® and ProEndure Tool-Free Cabinetry

Fade-resistant, color-fast, and maintenance-free cabinetry withstands heat and cold and stays beautiful longer.

High-Performance Energy-Saving Insulation

All Jacuzzi® hot tubs exceed the California Energy Commission standards for spa energy consumption. Our insulation completely surrounds the shell and fills the cabinet, helping to lower operating costs, ensure quieter operation and provide reliability and peace of mind in the coldest climates.

Propolymer Base

A rugged protective barrier insulates the spa from the foundation.
The durable ABS-formed foundation protects components from moisture and the elements while adding structural strength.



Find your dimension

With so many models to choose from, there's a Jacuzzi® hot tub to fit any home. From our Jacuzzi® PowerPro® jets to our tension-reducing lounge seats, every inch is designed to enhance your relaxing escape.

Choose the seating for your setting.


Don't feel boxed in

A hot tub with more massage combinations requires only a slightly larger footprint. A little extra space can have a big impact on crafting a transformative experience.


91 IN x 110 IN / 8-9 SEATS 91 IN x 91 IN / 6-7 SEATS 84 IN x 84 IN / 4-6 SEATS 76 IN x 66 IN / 2-3 SEATS

Open Seating

An open seating model offers more massage options and makes communicating with others in the hot tub easier.



Lounge Seating A lounge seat offers a full-body massage option and a more secluded spa experience, yet the tub dimensions are nearly the same as open seating.







Sense Style Simplicity

Features up to nine distinct
Jacuzzi® PowerPro® jets
for more hydromassage coverage,
including the pulsating
Jacuzzi® PowerPro® PX jet,
bold Jacuzzi® PowerPro® MX
jet and more top-of-the-line
rotational Jacuzzi® PowerPro®
RX jets

Full control at every seat allows each user to personalize their massage experience

Exceeds strict California Energy Commission standards for stand-by power consumption

Elevated backlit waterfalls cascade water down your neck and back while adding a breathtaking visual effect

Glowing exterior lighting includes an indicator light that alerts you to error modes that may have occurred in your spa

Clean styling with easy tool-free access to your spa's equipment area

CLEARRAY Active Oxygen® system harnesses the power of Ozone and UV-C technology working together to clean spa water

100 sq. ft. pleated filtration plus an exclusive 3 micron depth load filter

Compatible with SmartTub® app for remote spa management and energy-saving smart technology



Standard Features

Distinct High Back Design ProFinish® Cabinetry ProTouch™ Control Jacuzzi® PowerPro® Jets Specialty Jacuzzi® PowerPro® FX-D, RX and PX Jets CLEARRAY Active Oxygen® System CLEARRAY® On-demand 5-Stage Filtration System **ProStream Circulation Pump** Floating Propolymer Foundation **Tool-Free Cabinet Removal** Quick Drain System Illuminated Waterfall Premium LED Lighting Adjustable Headrests Illuminated Cup Holders Status Indicator Light ProLast™ Cover in Black Exterior Lights

Optional Features

SmartTub® System Compatible
ProLast™ Extreme Cover
SmartSeal™ Insulation
BLUEWAVE® Stereo
Premium Speakers
Amplified Sub-Woofer

Acrylic Options



ProFinish® Cabinetry



Model		Seats	Dimensions*	Dry Wt.	Total Filled Wt.	Avg. Spa Vol.	Electrical
J-495™		8-9	Inches 91x110x 37.5-43.5	1,091 lbs. (495 kg.)	5,261 lbs. (2,386 kg.)	500 US Gal. (1,893 L)	240VAC 50A/60A
			Centimeters 231x279x 95-111				230VAC 50Hz 1x32A
J-485™) (*)	6-7	Inches 91x91x 37.5-43.5	916 lbs. (416 kg.)	5,336 lbs. (2,420 kg.)	435 US Gal. (1,647 L)	240VAC 30A/50A/60A
			Centimeters 231x231x 95-111				230VAC 50Hz 20A (2 breakers required)
J-475™) (*II.	6-7 Lounge	Inches 91x91x 37.5-43.5	925 lbs. (420 kg.)	5,387 lbs. (2,444 kg.)	440 US Gal. (1,666 L)	240VAC 30A/50A/60A
			Centimeters 231x231x 95-111				230VAC 50Hz 20A (2 breakers required)
J-445™		6	Inches 84x84x 37.5-43.5	855 lbs. (388 kg.)	4,525 lbs. (2,052 kg.)	440 US Gal. (1,666 L)	240VAC 30A/50A/60A
			Centimeters 214x214x 95-111				230VAC 50Hz 20A (2 breakers required)
J-435™		5-6 Lounge	Inches 84x84x 37.5-43.5	822 lbs. (373 kg.)	4,492 lbs. (2,037 kg.)	360 US Gal. (1,363 L)	240VAC 30A/50A/60A
			Centimeters 214x214x				230VAC 50Hz 20A (2 breakers

95-111

required)

NX2 8 FX-LR MX 3

FX-S FX FX-R 12 6

NX2 FX-LR MX 3

FX-S FX FX-R 10 8

NX2 4 2 MX 3



Up to eight Jacuzzi® PowerPro® Jet varieties deliver a superior hydromassage

Full control at every seat allows each user to personalize their massage experience

Exceeds strict California Energy Commission standards for stand-by power consumption

HydroSoothe® massage pillow provides a relaxing head and neck massage and a cascade of water over neck and shoulders without splashing or spraying water

Optional elegant exterior lighting features sconce-style lighting to make the J-300™ hot tub the focal point of any backyard

Clean styling with easy tool-free access to your spa's equipment area

CLEARRAY Active Oxygen®
system harnesses the power
of Ozone and UV-C technology
working together to clean
spa water

120 sq. ft. pleated filtration

Compatible with SmartTub® app for remote spa management and energy-saving smart technology

Sense Style Simplicity



Standard Features

Jacuzzi® PowerPro® Jets
Specialty Jacuzzi® PowerPro® BX and FX-L Jets
ProFinish® Cabinetry
Illuminated Control
CLEARRAY Active Oxygen® System
CLEARRAY® On-demand
4-Stage Filtration System
ProStream Circulation Pump
Floating Proplymer Foundation
Tool-free Cabinet
Illuminated Waterfall
ProLite™ LED Lighting
HydroSoothe® Massage Pillow
Illuminated Cup Holders
ProLast™ Cover in Black

Optional Features

Exterior Lights

SmartTub® System Compatible

ProLast™ Extreme Cover

ProClarity® Circulation Pump Filter

SmartSeal™ Insulation

BLUEWAVE® Stereo

Standard Speakers

Standard Sub-Woofer

Acrylic Options



ProFinish® Cabinetry



Model J-385™		Seats 6-7	Dimensions* Inches 91x91x38 Centimeters 231x231x97	Dry Wt. 850 lbs. (386 kg.)	Total Filled Wt. 5,771 lbs. (2,618 kg.)	Avg. Spa Vol. 460 US Gal. (1,741 L)	Electrical 240VAC 60Hz 40A/50A/60A 230VAC 50Hz 17A/13A	Jets FX-S FX FX-R 4
J-375™		5-6 Lounge	Inches 91x91x38 Centimeters 231x231x97	830 lbs. (377 kg.)	5,667 lbs. (2,571 kg.)	445 US Gal. (1,685 L)	240VAC 60Hz 40A/50A/60A 230VAC 50Hz 17A/13A	FX FX NX2 18 6 4 FX-LR MX FX-L 3 5 FX-L 12
J-365™		6-7	Inches 84x91x38 Centimeters 213x231x97	805 lbs. (365 kg.)	4,975 lbs. (2,257 kg.)	395 US Gal. (1,495 L)	240VAC 60Hz 40A/50A/60A 230VAC 50Hz 17A/13A	FX-S
		5-6 Lounge	Inches 84x91x38 Centimeters 213x231x97	813 lbs. (369 kg.)	4,900 lbs. (2,223 kg.)	360 US Gal. (1,363 L)	240VAC 60Hz 40A/50A/60A 230VAC 50Hz 17A/13A	FX 14
J-345™	(O)	6-7	Inches 84x84x36 Centimeters 213x213x92	777 lbs. (352 kg.)	4,488 lbs. (2,036 kg.)	345 US Gal. (1,306 L)	240VAC 60Hz 40A/50A/60A 230VAC 50Hz 17A/13A	FX-S
J-335™		5-6 Lounge	Inches 84x84x36 Centimeters 213x213x92	764 lbs. (347 kg.)	4,684 lbs. (2,125 kg.)	350 US Gal. (1,325 L)	240VAC 60Hz 40A/50A/60A 230VAC 50Hz 17A/13A	FX FX-R FX-LR 4 MX FX-L BX 12
J-325™		4-5	Inches 84x76x34 Centimeters 213x193x87	619 lbs. (281 kg.)	4,372 lbs. (1,983 kg.)	335 US Gal. (1,268 L)	120VAC 15A or 240VAC 60Hz 30/40A 230VAC 50Hz 13A/10A	FX-S FX FX PX-R 2 FX-LR FX-L 4
J-315 TM	No. 10:(2-3	Inches 66x76x32 Centimeters 168x193x81	531 lbs. (241 kg.)	2,866 lbs. (1,300 kg.)	210 US Gal. (795 L)	120VAC 15A or 240VAC 60Hz 30/40A 230VAC 50Hz 13A/10A	FX 8 FX-R 2 FX-LR 3 FX-L 8 2



Offers a complete hydromassage experience with thoughtful jet placement and ergonomic seating

Interior lighting includes multi-color LED backlit headrests

Exceeds strict California Energy Commission standards for stand-by power consumption

Distinctive and durable cabinetry with integrated LED light and tool-free access

Clean styling with easy tool-free access to your spa's equipment area

Includes our CLEARRAY® system with the power of UV-C technology

50 sq. ft. pleated filtration

Compatible with SmartTub® app for remote spa management and energy-saving smart technology Sense
Style
Simplicity



Standard Features

Proprietary Jets with Stainless Steel Accents **Tool-Free Cabinetry** CLEARRAY® UV-C System Patented ProClassic[™] 50 sq ft Filter 2-Stage Filtration System with ProCatch™ Filter Bag Comfortable Backlit Headrests Built-In Drink Holders Multi-Colored LED Lighting **Exterior Lighting** ProLast™ Cover in Black

Optional Features

SmartTub® System Compatible CLEARRAY® Pro₃Tect Ozone System Ready ProLast™ Extreme Cover


Acrylic Options











J-245™ J-235™

Inches Inches

Dimensions* Dry Wt. 778 lbs. 89x89x36 (357 kg.) Centimeters 226x226x91

400 US Gal. 5,166 lbs. (2,343 kg.) (1,514 L)

Avg. Spa Vol.

380 US Gal.

Total Filled Wt.

240VAC 60Hz 42 Jets 40A/50A/60A 230VAC 50Hz 20A/30A/40A

Electrical

J-275™

Model

J-285™



Seats

791 lbs. 89x89x36 Centimeters 226x226x91

(2,288 kg.) (359 kg.) (1,438 L)

5,044 lbs.

4,490 lbs.

(2,037 kg.)

4,364 lbs.

(1,979 kg.)

240VAC 60Hz 40A/50A/60A 230VAC 50Hz 20A/30A/40A

36 Jets

34 Jets

26 Jets

39



213x213x91

Inches 737 lbs. 84x84x36 (334 kg.) Centimeters

345 US Gal. 240VAC 60Hz (1,306 L) 40A/50A/60A 230VAC 50Hz 20A/30A/40A



213x213x91

736 lbs. Inches 84x84x36 (334 kg.) Centimeters

325 US Gal. 240VAC 60Hz (1,230 L) 40A/50A/60A

230VAC 50Hz 20A/30A/40A

J-225™



Inches 80x80x33 Centimeters 203x203x84

562 lbs. 4,219 lbs. (255 kg.) (1,340 kg.) 354 US Gal. 120VAC 60Hz (1,340 L) 15A or 240VAC 60Hz 30A/40A 230VAC 50Hz

20A/30A

20A/30A

J-215™

(1)



2-3

492 lbs. Inches 69x80x33 (223 kg.)

Centimeters

175x203x84


2,780 lbs. 220 US Gal. (1,261 kg.) (833 L)


120VAC 21 Jets 15A 240VAC 30A/40A 230VAC 50 Hz

Porcelain




Platinum





Charcoal Smoke

> Jacuzzi® Hot Tub Collection *All hot tub dimensions are shown in: L x W x H.



Immerse yourself in the experience that made us a household name.

Feel a weight lift at the mere thought of warm, bubbling water.

Let stress wash away
as you step in.
Emerge rejuvenated
to take on the day.
And let the long-lasting refreshing energy transform your body and mind.



Jacuzzi.com 17872 Gillette Ave. #300 Irvine CA 92614

©2023 Jacuzzi Hot Tubs. All rights reserved. Jacuzzi® is a registered trademark of Jacuzzi Inc. used with permission. All other brands, product names, company names, trade names, trademarks and service marks used are the property of their respective owners. Jacuzzi Hot Tubs may make product modifications and enhancements. Specifications may change without notice. International products may be configured differently to meet local electrical requirements. Dimensions are approximate. Manufactured under one or more United States patent numbers. Other patents may apply.

Part No: 2890-043K 02/23













